

Description	Price
Agastache, Apricot Sprite (Agastache aurantiaca) M/H	3.00
Agastache, 'Heather Queen' cara A	3.00
Agave (Manfreda virginica) K	7.00
Agrimony (Agrimonia eupatoria) M/H	5.00
Alder, Green (Alnus Crispa) NE/US	10.00
Alder, Smooth (Alnus serrulata) K	15.00
Alexander, Golden (Zizia aurea) K	5.00
Alexander, Heart-leaf Golden (Zizia aptera) K	7.00
Allheal (Prunella vulgaris) M/H	4.00
Alnus rugosa (Speckled Alder) K	15.00
Aloe vera (Aloe barbadensis) M/H	6.00
Alumroot (Heuchera americana) K	6.00
Alumroot, Downy (Heuchera villosa) K	6.00
Alumroot, richardsonii (Heuchera richardsonii) MW/US	7.00
Alyssum, Summer Peaches (Lobularia maritima) A	3.00
Amorpha, Smooth (Amorpha nitens) K	10.00
Anagallis arvensis (Pimpernel) M/H	4.00
Anemone, Canada (Anemone canadensis) K	6.00
Anemone, Carolina (Anemone caroliniana) K	12.00
Anemone, False Rue (Enemion biternatum) K	7.00
Anemone, Rue (Anemonella thalictroides) K	9.00
Anemone, Wood (Anemone quinquefolia) K	7.00
Angelica, Great (Angelica atropurpurea) K	6.00
Anise (Pimpinella anisum) M/H	5.00
Apple Blossom Grass (Gaura lindheimeri) SW/US	5.00
Arbutus, Trailing (Epigaea repens) K	20.00
Arrow Grass (Trigochin maritima) NE/US	5.00
Arrowhead (Sagittaria latifolia) K	6.00
Artichoke, Jerusalem (Helianthus tuberosus) K	7.00
Arum, Arrow (Peltandra virginica) K	12.00
Ash, American Mountain (Sorbus americana) N/US	15.00
Ash, Blue (Fraxinus quadrangulata) K	20.00
Ash, Prickly (Zanthoxylum americanum) K	15.00
Ash, Showy Mountain (Sorbus decora) E/US	15.00
Aspen, Big Tooth (Populus grandidentata) K	17.00
Aspen, Quaking (Populus tremuloides) K	17.00
Aster, Aromatic (Aster oblongifolius) K	5.00
Aster, Arrow-leaved (Aster sagittifolius) K	7.00
Aster, Blue Wood (Symphyotrichum cordifolium) [Aster cordifolius] K	5.00
Aster, Calico 'Lady in Black' (Aster lateriflorus)	7.00
Aster, Calico (Aster lateriflorus) K	5.00
Aster, Claspig (Symphyotrichum patens) K	6.00
Aster, Golden (Chrysopsis villosa) K	5.00
Aster, Hardy (Symphyotrichum dumosum 'Woods Light Blue') [Aster dumosus]	6.00
Aster, Hardy (Symphyotrichum dumosum 'Woods Pink') [Aster dumosus]	6.00
Aster, Hardy (Symphyotrichum Dumosum 'Woods Purple') [Aster dumosus]	6.00
Aster, Hardy (Symphyotrichum dumosum) [Aster dumosus]	4.50
Aster, Large-leaved (Aster macrophyllus) K	6.00
Aster, Lowrie's Blue Wood (Symphyotrichum lowrleanum) K	6.00

Aster, Maryland Golden (<i>Chrysopsis mariana</i>) K	6.00
Aster, New England, Pink (<i>Aster novae-angliae</i> variaton)	8.00
Aster, New York (<i>Aster novi-belgii</i>) K	5.00
Aster, New-England (<i>Aster novae-angliae</i>) K	5.00
Aster, Prairie / Oldfield Lavender (<i>Symphotrichum priceae</i>) K	7.00
Aster, Prostrata 'Snow Flurry', (<i>Aster ericoides</i>) (syn. 'Prostrata') K	6.00
Aster, Rockcastle (<i>Eurybia saxicastellii</i>) K	10.00
Aster, Short's (<i>Aster shortii</i>) K	5.00
Aster, Showy (<i>Aster spectabilis</i>) E/US	6.00
Aster, Silky (<i>Aster sericeus</i>) K	7.00
Aster, Sky Blue (<i>Aster azureus</i>) K	5.00
Aster, Sky Blue (<i>Aster azureus</i>) Ky geno	7.00
Aster, Smooth (<i>Aster laevis</i>) K	5.00
Aster, Sneezewort (<i>Aster ptarmicoides</i>) K	6.00
Aster, Stiff (<i>Aster linarifolius</i>) K	6.00
Aster, Stoke's (<i>Stokesia laevis</i>) SE/US	6.00
Aster, Swamp (<i>Aster puniceus</i>) K	5.00
Aster, White Wood (<i>Aster divaricatus</i>) K	5.00
Aster, Willow (<i>Aster praealtus</i>) K	9.00
Aster, Woodland (<i>Aster anomalus</i>) K	5.00
Aster, Zigzag (<i>Symphotrichum prenanthoides</i>) K	7.00
Astragalus crassocarpus (Ground Plum) Cen/US	7.00
Azalea, Carolina (<i>Rhododendron carolinianum</i>) E/US	15.00
Azalea, Cumberland (<i>Rhododendron cumberlandense</i>) K	20.00
Azalea, Dwarf (<i>Rhododendron atlanticum</i>) E/USA	15.00
Azalea, Flame (<i>Rhododendron calendulaceum</i>) K	12.00
Azalea, Mountain Rosebay (<i>Rhododendron catawbiense</i>) K	12.00
Azalea, Piedmont (<i>Rhododendron canescens</i>) K	15.00
Azalea, Pinkshell (<i>Rhododendron vaseyi</i>) E/US	12.00
Azalea, Pinxter-Bloom (<i>Rhododendron periclymenoides</i>) K	12.00
Azalea, Plum Leaf (<i>Rhododendron prunifolium</i>)	15.00
Azalea, Roseshell (<i>Rhododendron prinophyllum</i>) K	12.00
Azalea, Smooth (<i>Rhododendron arborescens</i>) K	12.00
Azalea, Swamp (<i>Rhododendron viscosum</i>) E/US	12.00
Balloon Flower (<i>Platycondon grandiflorus</i>) M/H	6.00
Baneberry, Red (<i>Actea rubra</i>) N/US	17.00
Baneberry, White (<i>Actaea pachypoda</i>) K	12.00
Basil, African (<i>Ocimum canum</i>) M/H	3.00
Basil, Cameo Container (<i>Ocimum basiicum</i>)	1.00
Basil, Citrus (<i>Ocimum spp</i>) M/H	3.00
Basil, Genovese (<i>Ocimum basilicum</i>) M/H	3.00
Basil, Greek (<i>Ocimum minimum</i>) M/H	3.00
Basil, Itslisl Pesto (<i>Ocimum basilicum</i>)	1.00
Basil, Kilimanjaro (<i>Ocimum kilmandscharicum</i>) M/H	3.00
Basil, Lime (<i>Ocimum spp</i>) M/H	3.00
Basil, Queenette True Thai (<i>Ocimum basilicum</i>)	1.00
Basil, Sacred (<i>Ocimum tenuiflorum</i>) M/H	4.00
Basil, Sweet Lettuce (<i>Ocimum basilicum</i>) M/H	3.00
Basil, Tai (<i>Ocimum basilicum</i>) M/H	3.00
Basil, Wild (<i>Clinopodium vulgare</i>) M/H	6.00

Basil, Wild (<i>Satureja vulgaris</i>) K	5.00
Basswood, American Linden (<i>Tilia americana</i>) K	15.00
Bayberry, Northern (<i>Myrica pensylvanica</i>) E/US	15.00
Bearberry (<i>Arctostaphylos uva-ursi</i>) E/US	10.00
Beardtongue, Appalacian (<i>Penstemon canescens</i>) K	5.00
Beardtongue, Dwarf (<i>Penstemon hirsutus</i> 'Pygmaeus')	6.00
Beardtongue, Eastern White (<i>Penstemon tenuiflorus</i>) K	7.00
Beardtongue, Foxglove (<i>Penstemon digitalis</i>) K	5.00
Beardtongue, Hairy (<i>Penstemon hirsutus</i>) K	5.00
Beardtongue, Large Flowered (<i>Penstemon grandiflorus</i>) MW/US	10.00
Beardtongue, Navajo Red (<i>Penstemon barbatus</i>) M/H	6.00
Beardtongue, Pale (<i>Penstemon pallidus</i>) K	5.00
Beardtongue, Palmer (<i>Penstemon palmer</i>) W/US	6.00
Beardtongue, Pineleaf (<i>Penstemon pinifolius</i>) W/US	6.00
Beardtongue, Purple (<i>Penstemon cobaea</i>) E/US	10.00
Beardtongue, Rocky Mountain (<i>Penstemon strictus</i>) W	6.00
Beardtongue, Showy (<i>Penstemon laevigatus</i>) K	10.00
Beardtongue, Sky Pilot (<i>Penstemon serrulatus</i>) W/US	6.00
Beardtongue, Small's (<i>Penstemon smallii</i>) K	5.00
Beardtongue, Smooth (<i>Penstemon calycossus</i>) K	5.00
Beardtongue, Tube (<i>Penstemon tubaeiflorus</i>) K	7.00
Beardtounge, Arkansas (<i>Penstemon Arkansas</i>) W/US	7.00
Beautyberry, American (<i>Callicarpa americana</i>) SE/US	17.00
Bedstraw, Yellow (<i>Galium verum</i>) M/H	6.00
Bee Balm (<i>Monarda didyma</i>) K	5.00
Bee Balm, Basil (<i>Monarda clinepodia</i>) K	6.00
Bee Balm, Russell's (<i>Monarda russeliana</i>) K	7.00
Beech (<i>Fagus grandifolia</i>) K	15.00
Belladonna (<i>Atropa belladonna</i>) M/H	4.00
Bellflower, Tall (<i>Campanula americana</i>) K	5.00
Bellwort / Great Merrybells (<i>Uvularia grandiflora</i>) K	12.00
Bergamot, Butterfly Mondara Bouquet (<i>Monarda hybrida</i>) A	3.00
Bergamot, Eastern (<i>Monarda bradburiana</i>) K	5.00
Bergamot, Lemon (<i>Monarda citriodora</i>) M/H	3.00
Bergamot, Wild (<i>Monarda fistulosa</i>) K	6.00
Betony (<i>Stachy's officinalis</i>) M/H	6.00
Birch, Gray (<i>Betula populifolia</i>) E/US	12.00
Birch, River (<i>Betula nigra</i>) K	12.00
Birch, Roundleaf (<i>Betula uber</i>) E/US	17.00
Birch, Sweet (<i>Betula lenta</i>) K	12.00
Birch, Yellow (<i>Betula alleghaniensis</i>) K	12.00
Bishops Cap (<i>Mitella diphylla</i>) K	7.00
Bittersweet (<i>Celastrus scandens</i>) K	12.00
Blackberry (<i>Rubus allegheniensis</i>) K	12.00
Bladdernut (<i>Staphylea trifolia</i>) K	20.00
Blazing Star, Button (<i>Liatris squarosa</i>) K	6.00
Blazing Star, Cusp (<i>Liatris mucronata</i>) MW/US	7.00
Blazing Star, Dotted (<i>Liatris punctata</i>) MW/US	6.00
Blazing Star, Dwarf (<i>Liatris cylindracea</i>) K	6.00
Blazing Star, Largeheaded (<i>Liatris ligulistylis</i>) MW/US	6.00

Blazing Star, New England (<i>Liatris scariosa novae-angliae</i>) K	6.00
Blazing Star, Northern (<i>Liatris scariosa</i>) E/US	6.00
Blazing Star, Prairie (<i>Liatris pycnostachya</i>) K	6.00
Blazing Star, Rough (<i>Liatris aspera</i>) K	6.00
Blazing Star, Savannah (<i>Liatris scariosa nieuwlandii</i>) NE/US	6.00
Blazing Star, Shaggy (<i>Liatris pilosa</i>) E/US	6.00
Blazing Star, Southern (<i>Liatris squarrulosa</i>) K	7.00
Blazing Star, Spiked (<i>Liatris spicata</i>) K	6.00
Blazing Star, Sweet (<i>Liatris acidota</i>) MW/US	7.00
Blazing Star, Tiny-Headed (<i>Liatris microcephala</i>) K	6.00
Blazing Star, Tiny-Headed White (<i>Liatris microcephalis alba</i>)	7.00
Bleeding Heart, Wild (<i>Dicentra eximia</i>) K	9.00
Bloodroot (<i>Sanguinaria canadensis</i>) K	12.00
Blue Flag, Slender (<i>Iris prismatica</i>) K	7.00
Blue Star (<i>Amsonia tabernaemontana</i>) K	5.00
Blue Star, Narrow-leaf (<i>Amsonia ciliata</i> v. <i>filiformis</i>) S/US	8.00
Blue Star, Thread-leaf (<i>Amsonia hubrichtii</i>) MW	6.00
Blueberry, Highbush (<i>Vaccinium corymbosum</i>) K	17.00
Blueberry, Hillside (<i>Vaccinium pallidum</i>) K	15.00
Blueberry, Lowbush (<i>Vaccinium angustifolium</i>) K	12.00
Blueberry, Velvet (<i>Vaccinium myrtilloides</i>) E/US	12.00
Blue-eyed Grass, Common (<i>Sisyrinchium albidum</i>) K	6.00
Blue-eyed Grass, Needle-tipped (<i>Sisyrinchium muctonatum</i>) K	7.00
Blue-eyed Grass, Prairie (<i>Sisyrinchium campestre</i>) M/US	7.00
Blue-eyed Grass, Stout (<i>Sisyrinchium angustifolium</i>) K	6.00
Blue-eyed Grass, White (<i>Sisyrinchium albidum</i>) K	9.00
Bluet, Glade (<i>Houstonia angustifolia</i>) K	9.00
Bluets, Longleaf (<i>Houstonia longifolia</i>) K	12.00
Bluets, Purple (<i>Houstonia purpurea</i>) K	12.00
Bog Bilberry (<i>Vaccinium uliginosum</i>) N/US	12.00
Boltonia (<i>Boltonia asteroides</i>) K	5.00
Boltonia, Pink (<i>Boltonia asteroides</i> 'Pink Beauty')	5.00
Boneset (<i>Eupatorium perfoliatum</i>) K	5.00
Boneset, Tall (<i>Eupatorium altissimum</i>) K	7.00
Borage (<i>Borago officinalis</i>) M/H	3.00
Bottlebursh Buckeye, Alabama (<i>Aesculus parviflora serotina</i>) SE/US	15.00
Bowman's Root (<i>Gillenia trifoliata</i>) K	6.00
Box Elder (<i>Acer negundo</i>) K	10.00
Breadroot, Purple (<i>Pedimelum subacaule</i>) SE/US	12.00
Buckeye, Bottlebrush (<i>Aesculus parviflora</i>) E	15.00
Buckeye, Dwarf Red (<i>Aesculus pavia</i>) K	15.00
Buckeye, Ohio (<i>Aesculus glabra</i>) K	15.00
Buckeye, Painted (<i>Aesculus sylvatica</i>) SE/US	15.00
Buckeye, Yellow (<i>Aesculus octandra</i>) K	15.00
Buckthorn, Carolina (<i>Rhamnus caroliniana</i>) K	15.00
Buffaloberry, Russett (<i>Shepherdia canadensis</i>) N	20.00
Bugbane (<i>Cimicifuga americana</i>) K	12.00
Bugloss, Viper's (<i>Echium vulgare</i>) M/H	5.00
Bulrush, Dark Green (<i>Scirpus atrovirens</i>) K	5.00
Bulrush, Softstem (<i>Scirpus tabernaemontani</i> [validus]) K	6.00

Bunchberry (<i>Cornus canadensis</i>) NE/US	15.00
Bunchflower (<i>Melanthium virginicum</i>) K	7.00
Bundleflower (<i>Desmanthus illinoensis</i>) K	5.00
Burnet (<i>Sanguisorba canadensis</i>) K	12.00
Bush-Honeysuckle, Dwarf (<i>Diervilla lonicera</i>) (E/US)	12.00
Bush-Honeysuckle, Southern (<i>Diervilla sessilifolia</i>) E/US	12.00
Buttercup, Early (<i>Ranunculus fascicularis</i>) K	7.00
Buttercup, Prairie (<i>Ranunculus rhomboideus</i>) N/US	7.00
Buttercup, Swamp (<i>Ranunculus hispidus</i>) K	7.00
Butterfly-Pea (<i>Clitoria ternatea</i>) M/H	4.50
Buttonbush (<i>Cephalanthus occidentalis</i>) K	10.00
Calendula (<i>Calendula camphora</i>) M/H	3.00
Camass, White (<i>Zigadenus elegans</i>) E/US	12.00
Cannaceae <i>Canna warscewizii</i>	0.004
Cardamon (<i>Elettaria cardamomum</i>) M/H	6.00
Carex sp (Sedge, Ghost)	5.00
Carolina Alspice (<i>Calycanthus floridus</i>) K	15.00
Carrot, Nantes (<i>Daucus carota sativus</i> 'Nantes') M/H	4.00
Carrots, Yellowstone / Nantes Forto mix	1.00
Catalpa (<i>Catalpa bignonioides</i>) K	15.00
Catnip, Catnip (<i>Nepeta cataria</i> ssp. <i>citriodora</i> 'Lemony') M/H	6.00
Catnip, Lemon (<i>Nepeta catarua</i> ssp. <i>citriodora</i> 'Lemony')	4.00
Catsfoot (<i>Antennaria dioica</i>) M/H	3.00
Cattail, Common (<i>Typha latifolia</i>) K	4.50
Cattail, Narrow Leaf (<i>Typha angustifolia</i>) K	6.00
Cedar, Eastern Red (<i>Juniperus virginiana</i>) K	12.00
Cedar, Western Red (<i>Thuja plicata</i>) W/US	12.00
Cedar, White (<i>Thuja occidentalis</i>) K	12.00
Celandine Poppy (<i>Stylophorum diphyllum</i>) K	5.00
Chamomile (<i>Matricaria recutita</i>) M/H	3.00
Chamomile, Roman (<i>Chamaemelum nobile</i>) M/H	6.00
Chard, Italian Silver Rib	1.00
Chaste Tree (<i>Vitex agnus-castus</i>) M/H	10.00
Chenopodium botrys (Ambrosia) M/H	4.00
Cherry, Choke (<i>Prunus virginiana</i>) K	15.00
Cherry, Creeping Sand (<i>Prunus pumila</i> Var. <i>depressa</i>) W/US	15.00
Cherry, Eastern Sand (<i>Prunus pumila</i>) E/US	12.00
Cherry, Pin (<i>Prunus pensylvanica</i>) K	12.00
Cherry, Wild Black (<i>Prunus serotina</i>) K	12.00
Chestnut, American (<i>Castanea dentata</i>) K	20.00
Chestnut, Dwarf (<i>Castanea pumila</i>) K	15.00
Chestnut, Species (<i>Castanea species</i>)	10.00
Chinese Milkvetch (<i>Astragalus membranaceus</i>) M/H	5.00
Chives (<i>Allium schoenoprasum</i>) M/H	6.00
Chives, Mauve Garlic (<i>Allium</i> sp.) M/H	6.00
Chokeberry, Appleleaf (<i>Aronia melanocarpa grandifolia</i>) K	10.00
Chokeberry, Black (<i>Aronia melanocarpa</i>) K	10.00
Chokeberry, Glossy Black (<i>Aronia melanocarpa elata</i>) E/US	10.00
Chokeberry, Purple (<i>Aronia prunifolia</i>) K	10.00
Chokeberry, Red (<i>Aronia arbutifolia</i>) K	10.00

Cinquefoil, Bush / Potentilla (Potentilla fruticosa) E/US	10.00
Cinquefoil, Wine-leaf / Three-toothed (Potentilla tridentata) E/US	10.00
Citronella Balm (Melissa officinalis 'Citronella) M/H	6.00
Clematis, Fremont's (Clematis fremontii) Cen/US	15.00
Clematis, Purple (Clematis verticillaris) E/US	20.00
Clematis, Virgin's Bower (Clematis virginiana) K	12.00
Clove-pink (dianthus caryophyllus 'Grenadin') M/H	6.00
Clover, Leafy Prairie (Petalostemum foliosum) E/US	7.00
Clover, Purple Prairie (Dalea purpurea) K	5.00
Clover, Round-headed Bush (Lespedeza capitata) K	5.00
Clover, Slender Bush (Lespedeza virginica) K	6.00
Clover, Violet Bush (Lespedeza violacea) K	6.00
Clover, White Prairie (Dalea candida) K	5.00
Cohosh, Black (Cimicifuga racemosa) K	15.00
Cohosh, Blue (Caulophyllum thalictroides) K	12.00
Coltsfoot (Tussilago farfara) M/H	9.00
Columbine, Wild (Aquilegia canadensis) K	5.00
Columbo, American (Frasera caroliniensis) K	9.00
Comfrey, Common (Symphytum officinale) M/H	6.00
Compass Plant (Silphium laciniatum) K	6.00
Coneflower, Appalacian (Echinacea laevigata) E/US	10.00
Coneflower, Bush's/Yellow (Echinacea paradoxa) MW/US	5.00
Coneflower, Glade (Echinacea simulata) K	6.00
Coneflower, Gray Headed (Ratibida pinnata) K	6.00
Coneflower, Greenheaded / Golden glow (Rudbeckia laciniata) K	6.00
Coneflower, Narrowleaved (Echinacea angustifolia) K	5.00
Coneflower, Orange (Rudbeckia fulgida) K	5.00
Coneflower, Pale Purple (Echinacea pallida) K	5.00
Coneflower, Purple (Echinacea purpurea) K	5.00
Coneflower, Reflexed (Echinacea atrorubens) MW/US	7.00
Coneflower, Sanguin (Echinacea sanguinea) MW/US	6.00
Coneflower, Tennessee (Echinacea tennesseensis) Tenn	10.00
Coral Bean (Erythrina herbacea) S/US	6.00
Coralberry (Symphoricarpos orbiculatus) K	10.00
Coreopsis, Eared (Coreopsis auriculata) K	6.00
Coreopsis, Fernleaf (Coreopsis verticillata) K	5.00
Coreopsis, Hairy (Coreopsis pubescens) K	6.00
Coreopsis, Lanceleaf (Coreopsis lanceolata) K	5.00
Coreopsis, Pink (Coreopsis rosea) E/US	6.00
Coreopsis, Prairie (Coreopsis palmata) E/US	7.00
Coreopsis, Tall (Coreopsis tripteris) K	5.00
Coreopsis, Whorled (Coreopsis Major) K	6.00
Corn Poppy (Papaver rhoeas) M/H	5.00
Cosmos Sonata Mix (Cosmos Bipinnatus) A	3.00
Cosmos, Double Click (Cosmos bipinnatus) A	3.00
Cosmos, White Cosmos Snow Sonata (Comos bipinnatus) A	3.00
Cottonwood (Populus deltoides) K	17.00
Cowslip (Primula veris) M/H	6.00
Crabapple, Prairie (Malus ioensis) K	15.00
Crabapple, Sweet (Malus coronarius) K	15.00

Cranberry, Large (Vaccinium macrocarpon) E/US	12.00
Cranberry, Mountain (Vaccinium vitis-idaea majus) N/US	12.00
Cranberry, Small (Vaccinium oxycoccos) NE/US	12.00
Cranefly Orchid (Tipularia discolor) K	15.00
Cross Vine (Bignonia capreolata) K	17.00
Cucumber, Lemon (Cucumis sativus 'Lemon')	4.00
Cucumber, Wild (Echinocystis lobata) K	7.00
Culver's Root (Veronicastrum virginicum) K	6.00
Culver's Root, Pink (Veronicastrum virginicum 'La Towers')	7.00
Cumin (Cuminum cyminum) M/H	4.00
Cup Plant (Silphium perfoliatum) K	5.00
Cup Plant, Virginia (Silphium connatum) E/US	7.00
Currant, American Black (Ribes americanum) K	12.00
Currant, Golden / Clove (Ribes odoratum) E/US	15.00
Cypress, Bald (Taxodium distichum) K	15.00
Cypress, Pond (Taxodium ascendens) SE/US	15.00
Dawn Redwood (Metasequoia gliptostroboides) W	20.00
Dill, Bouquet (Anethum graveolens) M/H	5.00
Dittany (Cunila organoides) K	7.00
Dog Hobble (Leucothoe fontanesiana) K	15.00
Dogwood, Flowering (Cornus florida) K	15.00
Dogwood, Gray (Cornus racemosa) K	12.00
Dogwood, Pagoda (Cornus alternifolia) K	12.00
Dogwood, Pale (Cornus obliqua) NE/US	15.00
Dogwood, Redtwig (Cornus sericea) K	15.00
Dogwood, Rough-leaf (Cornus drummondii) K	12.00
Dogwood, Silky (Cornus amomum) K	12.00
Dogwood, Yellowtwig (Cornus sericea) E/US	15.00
Dragon Head (Dracocephalum moldavica) M/H	1.60
Dropwort (Filipendula vulgaris) M/H	6.00
Dumbo's Ears, (Rudbeckia maxima) MW/US	6.00
Dusty Miller (Senecio cineraria) M/H	6.00
Dutchman's Breeches (Dicentra cucullaria) K	9.00
Dutchman's Pipe (Aristolochia macrophylla) K	17.00
Dutchman's Pipe, Woolly (Aristolochia tomentosa) K	17.00
Eastern Gamagrass (Tripsacum dactyloides) K	6.00
Elderberry (Sambucus canadensis) K	12.00
Elderberry, Red-berried (Sambucus racemosa) K	15.00
Elecampane (Inula helenium) M/H	6.00
Elecampane, Magnificent (Inula magnifica) M/H	4.00
Elm, American (Ulmus americana) K	12.00
Elm, Slippery (Ulmus rubra) K	8.00
Ephedra, American (Ephedra nevadensis) M/H	7.00
Ephedra, Green (Ephedra viridis) M/H	7.00
False Foxglove, Fascicled (Agalinas fasciculata) K	7.00
False Foxglove, Purple (Gerardia purpurea) K	6.00
False Foxglove, Slender (Gerardia tenifolia) K	6.00
Fameflower (Talinum calcaricum) K	6.00
Farkleberry / Sparkleberry (Vaccinium arboreum) K	20.00
Featherbells, Eastern (Stenanthium gramineum robustum) K	10.00

Fennel, Smokey Bronze (Foenicium vulgare var.)	4.00
Fennel, Sweet (Foeniculum vulgare dulce) M/H	4.00
Fenugreek (Trigonella foenum-graecum) M/H	4.00
Fern, Beech (Phogopteris hexagonapter) K	12.00
Fern, Blunt Lobed (Woodsia obtusa) K	7.00
Fern, Bracken (Pteridium latiuscolum) K	7.00
Fern, Christmas (Polystichum acrostichoides) K	7.00
Fern, Cinnamon (Osmunda cinnamomea) K	7.00
Fern, Climbing (Lygodium palmatum) K	15.00
Fern, Common Grape (Betrychium dissectum) K	12.00
Fern, Dixie Wood [Dryopteris x australis (D.celsa x ludoviciana)] SE/US	7.00
Fern, Fancy (Dryopteris intermedia) K	7.00
Fern, Goldies' / Giant Wood Fern (Dryopteris goldiana) K	7.00
Fern, Hairy Lip (Cheilanthes lanosa) K	7.00
Fern, Hay-scented (Dennstaedtia punctilobula) K	7.00
Fern, Interrupted (Osmunda claytoniana) K	8.00
Fern, Lady (Athyrium felix-femina) K	7.00
Fern, 'Lady in Red' (Athyrium felix-femina 'Lady in Red')	7.00
Fern, Leatherwood (Dryopteris marginalis) K	7.00
Fern, Log (Dryopteris celsa) K	7.00
Fern, Maidenhair (Adiantum pedatum) K	12.00
Fern, Marsh (Thelypteris palustris) K	7.00
Fern, Mountain Wood (Dryopteris campyloptera) K	7.00
Fern, Netted Chain (Woodwardia areolata) K	7.00
Fern, New York (Thelypteris noveboracensis) K	7.00
Fern, Ostrich (Matteuccia struthiopteris var pensylvanica) N/US	7.00
Fern, Rock Cap (Polypodium virginianum) SE/US	9.00
Fern, Royal (Osmunda regalis) K	7.00
Fern, Sensitive (Onoclea sensibilis) K	6.00
Fern, Silvery Glade (Deparia acrosichoides) K	7.00
Fern, Southern Lady (Athyrium filix-femina var. aspleniodes) K	7.00
Fern, Spleenwort (Asplenium platyneuron) K	12.00
Fern, Tennessee Ostrich (Diplazium pycnocarpon) K	7.00
Fern, Walking (Camptosorus shizophyllus) K	12.00
Fern, Wood (Dryopteris spinulosa) K	8.00
Fern, Woolly Lip (Cheilanthes tomentosa) K	7.00
Feverfew (Tanacetum parthenium) M/H	6.00
Figwort, Late (Scrophularia marilandica) K	7.00
Fireweed (Epilobium angustifolium) C/US	7.00
Flax, Brown (Linum usitatissimum) M/H	3.00
Flax, Grooved Yellow (Linum sulcatum) K	9.00
Flowering Spurge (Euphorbia corollata) K	6.00
Foamflower (Tiarella cordifolia) K	7.00
Foamflower, Clumping (Tiarella cordifolia var. collina) K	7.00
Fothergilla, Large (Fothergilla major) E/US	15.00
Fothergilla, Small (Fothergilla gardenii) E/US	15.00
Foxglove, Purple (Digitalis purpurea) M/H	5.00
Foxglove, Yellow (Digitalis grandiflora) M/H	4.00
Franklin Tree (Franklinia alatamaha) E/US	25.00
Free plant enclosed. Thank you for allowing us to substitute.	0.00

French Grass (<i>Orbexilum onobranchis</i>) K	7.00
Fringe-tree (<i>Chionanthus virginicus</i>) K	15.00
Galax (<i>Galax urceolata</i>) K	12.00
Garden Collection, Butterfly	136.00
Garden Collection, Hummingbird	120.00
Garden Collection, Sunny Side	80.00
Garden Collection, Woodland Niche	71.00
Garden Phlox, Lavendar (<i>Phlox paniculata</i> 'David's Lavendar')	6.00
Garden Phlox, Magenta (<i>Phlox paniculata</i> 'Nicky')	6.00
Garden Phlox, Pink (<i>Phlox paniculata</i> 'Robert Poore')	6.00
Garden Phlox, Purple/Blue (<i>Phlox paniculata</i> 'Blue paradise')	6.00
Garden Phlox, White (<i>Phlox paniculata</i> 'Delta Snow')	6.00
Gaura, Biennial (<i>Gaura biennis</i>) K	5.00
Gaura, Large-flowered (<i>Gaura longiflora</i>) K	7.00
Gaura, Scarlet (<i>Gaura coccinea</i>) C/US	7.00
Genista tinctoria (Dyer's Broom) M/H	4.00
Gentian, Bottle (<i>Gentiana clausa</i>) E/US	9.00
Gentian, Bottle (<i>Gentiana clausa</i>) E/US	9.00
Gentian, Cream (<i>Gentiana flavida</i>) K	12.00
Gentian, Downey (<i>Gentiana puberulanta</i>) K	15.00
Gentian, Fringed (<i>Gentiana crinita</i>) E/US	9.00
Gentian, Prairie (<i>Gentiana andrewsii</i>) K	9.00
Gentian, Small Fringed (<i>Gentiana procera</i>) N/US	12.00
Gentian, Stiff (<i>Gentiana quinquefolia</i>) K	12.00
Gentian, White (<i>Gentiana alba</i>) K	12.00
Geranium, Wild (<i>Geranium maculatum</i>) K	7.00
Germander, Canadian (<i>Teucrium canadense</i>) K	7.00
Ginger, Wild (<i>Asarum canadense</i>) K	7.00
Ginkgo (<i>Ginkgo Biloba</i>) M/H	15.00
Ginseng (<i>Panax quinquefolia</i>) K	15.00
Ginseng, Dwarf (<i>Panax Trifolium</i>) K	15.00
Ginseng, Siberian (<i>Eleutherococcus senticosus</i>) M/H	15.00
Globemallow, Scarlet (<i>Sphaeralcea coccinea</i>) W/US	7.00
Goat's Rue (<i>Tephrosia virginiana</i>) K	10.00
Goatsbeard (<i>Aruncus dioicus</i>) K	7.00
Golden Marguerite / Dyer's Chamomile (<i>Anthemis tinctoria</i> 'Kelwayi') M/H	6.00
Goldenrod, Dwarf (<i>Solidago cutleri</i>) E/US	6.00
Goldenrod, Early (<i>Solidago juncea</i>) K	5.00
Goldenrod, Elm-leaved (<i>Solidago ulmifolia</i>) K	6.00
Goldenrod, Grassleaved (<i>Solidago graminifolia</i>) K	5.00
Goldenrod, Gray (<i>Solidago nemoralis</i>) K	5.00
Goldenrod, Licorice/Sweet (<i>Solidago odora</i>) K	7.00
Goldenrod, Ohio (<i>Solidago ohioensis</i>) GLR	5.00
Goldenrod, Riddell's (<i>Solidago riddellii</i>) E/US	6.00
Goldenrod, Rigid (<i>Solidago rigida</i>) K	5.00
Goldenrod, Rough-leaved (<i>Solidago rugosa</i>) K	7.00
Goldenrod, Showy (<i>Solidago speciosa</i>) K	6.00
Goldenrod, Woodland (<i>Solidago caesia</i>) K	6.00
Goldenrod, Zig-Zag (<i>Solidago flexicaulis</i>) K	5.00
Goldenseal (<i>Hydrastis canadensis</i>) K	9.00

Gooseberry, Missouri (<i>Ribes missouriense</i>) K	15.00
Grape, Muscadine (<i>Vitis rotundifolia</i>) K	15.00
Grass of Parnassus (<i>Parnassia glauca</i>) E/US	9.00
Grass, Beach (<i>Panicum amarum</i> 'Dewey Blue') E/US	5.00
Grass, Beak (<i>Diarrhena americana</i>) K	6.00
Grass, Beech / Panic (<i>Panicum amarum</i>) E/US	5.00
Grass, Big Bluestem (<i>Andropogon gerardii</i>) K	5.00
Grass, Blue Love (<i>Eragrostis elliotii</i>) SE/US	6.00
Grass, Bluejoint (<i>Calamagrostis canadensis</i>) K	6.00
Grass, Bottlebrush (<i>Elymus hystrix</i>) K	5.00
Grass, Broomsedge (<i>Andropogon virginicus</i>) K	5.00
Grass, Buffalo Grass (<i>Buchloe dactyloides</i>) W/US	7.00
Grass, Bushy Beard (<i>Andropogon glomeratus</i>) K	6.00
Grass, Common Hair (<i>Deschampsia flexuosa</i>) K	6.00
Grass, Fowl Manna (<i>Glyceria striata</i>) K	6.00
Grass, Freshwater Cordgrass (<i>Spartina pectinata</i>) K	5.00
Grass, French (<i>Psoralea onobrychis</i>) K	7.00
Grass, Indian (<i>Sorghastrum nutans</i>) K	5.00
Grass, June (<i>Koeleria macrantha</i>) K	5.00
Grass, Little Bluestem, (<i>Schizachyrium scoparium</i>) K	6.00
Grass, Mosquito/ Blue Grama (<i>Bouteloua gracilis</i>) E/US	6.00
Grass, Narrowleaf Woodoats (<i>Chasmanthium sessiliflorum</i>) SE/US	6.00
Grass, Pink Muhly (<i>Muhlenbergi capillaris</i>) K	7.00
Grass, Poverty Oat (<i>Danthonia spicata</i>) K	5.00
Grass, Prairie Dropseed (<i>Sporobolus heterolepis</i>) K	7.00
Grass, Prairie Switchgrass (<i>Panicum virgatum</i>) K	5.00
Grass, Prairie Switchgrass 'Cloud Nine' (<i>Panicum virgatum</i> 'Cloud Nine')	7.00
Grass, Prairie Switchgrass 'Dallas Blue' (<i>Panicum virgatum</i> 'Dallas Blue')	7.00
Grass, Prairie Switchgrass 'Heavy Metal' (<i>Panicum virgatum</i> 'Heavy Metal')	7.00
Grass, Prairie Switchgrass 'Northwind' (<i>Panicum virgatum</i> 'Northwind')	7.00
Grass, Prairie Switchgrass 'Shenandoah' (<i>Panicum virgatum</i> 'Shenandoah')	7.00
Grass, Prairie Switchgrass, 'Prairie Sky' (<i>Panicum virgatum</i> 'Prairie Sky')	7.00
Grass, Purple Love (<i>Eragrostis spectabilis</i>) K	6.00
Grass, River Oats (<i>Uniola latifolia</i>) K	5.00
Grass, Rye, Nodding Wild (<i>Elymus canadensis</i>) K	5.00
Grass, Rye, Silky Wild (<i>Elymus villosus</i>) K	5.00
Grass, Sand Dropseed (<i>Sporobolus crypandrus</i>) K	7.00
Grass, Silver Beard (<i>Andropogon ternarius</i>) K	6.00
Grass, Silver Cane Plume (<i>Saccharum giganteum</i>) E/US	7.00
Grass, Tawny Cotton (<i>Eriophorum virginicum</i>) K	8.00
Grass, Tufted Hair (<i>Deschampsia cespitosa</i>) K	6.00
Grass, Wool (<i>Scipus cyperinus</i>) K	6.00
Green and Gold (<i>Chrysogonum virginianum</i>) K	6.00
Green Dragon (<i>Arisaema dracontium</i>) K	9.00
Hackberry (<i>Celtis occidentalis</i>) K	10.00
Harebell (<i>Campanula rotundifolia</i>) E/US	6.00
Harebell, Southern (<i>Campanula divaricata</i>) K	7.00
Hawkweed, Hairy (<i>Hieracium longipilum</i>) K	5.00
Hawkweed, Rough (<i>Hieracium scabrum</i>) K	5.00
Hawthorn (<i>Crataegus macracantha</i>) E/US	12.00

Hawthorn, Cockspur (<i>Crataegus crus-galli</i>) K	15.00
Hawthorn, Dotted (<i>Crataegus punctata</i>) K	15.00
Hawthorn, Downy (<i>Crataegus mollis</i>) K	15.00
Hawthorn, Pear (<i>Crataegus celpodendron</i>) K	15.00
Hawthorn, Washington (<i>Crataegus phaenopyrum</i>) E/US	15.00
Hazelnut (<i>Corylus americana</i>) K	15.00
Hazelnut, Beaked (<i>Corylus cornuta</i>) E/US	15.00
Heartsease / Johnny jump up (<i>Viola tricolor</i>) M/H	5.00
Heliotrope, Mariane (<i>Heliotropium arborescens</i>)A	3.00
Hemlock, Carolina (<i>Tsuga caroliniana</i>) E/US	15.00
Hemlock, Eastern (<i>Tsuga canadensis</i>) K	12.00
Henbane (<i>Hyoscyamus niger</i>) M/H	3.00
Hepatica, Round-lobed (<i>Hepatica americana</i>) K	12.00
Hepatica, Sharp-lobed (<i>Hepatica acutiloba</i>) K	12.00
Hickory, Bitternut (<i>Carya cordiformis</i>) K	15.00
Hickory, Mockernut (<i>Carya tomentosa</i>) K	15.00
Hickory, Pignut (<i>Carya glabra</i>) K	15.00
Hickory, Shagbark (<i>Carya ovata</i>) K	15.00
Hickory, Shellbark (<i>Carya laciniosa</i>) K	17.00
Holly, American (<i>Ilex opaca</i>) K	15.00
Holly, Deciduous (<i>Ilex decidua</i>) K	12.00
Holly, Deciduous, female (<i>Ilex decidua</i>) K	15.00
Holly, Deciduous, male (<i>Ilex decidua</i>) K	15.00
Holly, Ink Berry (<i>Ilex glabra</i>) E/US	12.00
Holly, Mountain (<i>Nemopanthus mucronatus</i>) E/US	20.00
Holly, Winterberry (<i>Ilex verticillata</i>) K	12.00
Holly, Winterberry, female (<i>Ilex verticillata</i>) K	17.00
Holly, Winterberry, male (<i>Ilex verticillata</i>) K	15.00
Honeysuckle, Trumpet (<i>Lonicera sempervirens</i>) K	12.00
Honeysuckle, Wild (<i>Lonicera dioica</i>) K	15.00
Hop-Hornbeam / Ironwood (<i>Ostrya virginiana</i>) K	15.00
Hops (<i>Humulus lupulus</i>) M/H	6.00
Horehound (<i>Marrubium vulgare</i>) M/H	6.00
Horehound, Water (<i>Lycopus americanus</i>) K	5.00
Hornbeam, American (<i>Carpinus caroliniana</i>) K	15.00
Horsemint (<i>Monarda punctata</i>) K	5.00
Huckleberry, Black (<i>Gaylussacia baccata</i>) K	15.00
Hyacinth, Narrow Wild (<i>Camassia angusta</i>) M/US	7.00
Hyacinth, Wild (<i>Camassia scilloides</i>) K	6.00
Hydrangea, Oakleaf (<i>Hydrangea quercifolia</i>) E/US	15.00
Hydrangea, Showy (<i>Hydrangea arborescens grandiflora</i>) E/US	15.00
Hydrangea, Wild (<i>Hydrangea arborescens</i>) K	15.00
Hyssop, Anise (<i>Agastache foeniculum</i>) MW	5.00
Hyssop, Anise Rock (<i>Agastache rupestris</i>) W/US	5.00
Hyssop, Giant Purple (<i>Agastache scrophulariifolia</i>) K	5.00
Hyssop, Giant Yellow (<i>Agastache nepetoides</i>) K	6.00
Hyssop, Official (<i>Hyssopus officinalis</i>) M/H	4.00
Indian Cucumber Root (<i>Medeola virginiana</i>) K	12.00
Indian Hemp (<i>Apocynum cannabinum</i>) K	5.00
Indian Paintbrush (<i>Castilleja coccinea</i>) K	12.00

Indian Physic (<i>Porterabthus stipulatus</i>) [<i>Gillenia stipulata</i>] K	5.00
Indian Tobacco (<i>Lobelia inflata</i>) K	3.00
Indigo Bush (<i>Amorpha fruticosa</i>) K	10.00
Indigo, Dwarf Wild (<i>Baptisia minor</i>) C/US	6.00
Indigo, Dwarf (<i>Amorpha nana</i>) E/US	10.00
Indigo, False Blue (<i>Baptisia australis</i>) K	5.00
Indigo, False Cream (<i>Baptisia leucophaea</i>) K	7.00
Indigo, False White (<i>Baptisia lactea</i>, formerly <i>B. leucantha</i>) K	5.00
Indigo, False Yellow (<i>Baptisia tinctoria</i>) K	10.00
Indigo, Wild Yellow (<i>Baptisia sphaerocarpa</i>) MW/US	7.00
Iris, American Sweet Flag (<i>Acorus americanus</i>) K	6.00
Iris, Beach-head (<i>Iris setosa</i>) N/US	7.00
Iris, Blue Flag (<i>Iris versicolor</i>) K	6.00
Iris, Butterfly (<i>Iris Spuria</i>) non native	10.00
Iris, Copper (<i>Iris fulva</i>) K	6.00
Iris, Dwarf (<i>Iris verna</i>) K	7.00
Iris, Dwarf Crested (<i>Iris cristata</i>) K	7.00
Iris, Sweet Flag (<i>Acorus calamus</i>) K	6.00
Iris, Wild Yellow (<i>Iris pseudacorus</i>) K	6.00
Iris, Zigzag (<i>Iris brevicaulis</i>) K	9.00
Ironweed (<i>Vernonia altissima</i>) K	5.00
Ironweed, Arkansas (<i>Veronia arkansana</i>) E/US	6.00
Ironweed, Giant (<i>Veronia gigantea</i> ssp. <i>gigantea</i>) K	7.00
Ironweed, Missouri (<i>Vernonia missurica</i>) K	7.00
Ironweed, New York (<i>Vernonia noveboracensis</i>) K	5.00
Ironweed, Upland (<i>Vernonia glauca</i>) E/US	5.00
Ironweed, White New York (<i>Veronia noveboracensis</i> f. <i>albiflora</i>) K	7.00
Jack in the Pulpit (<i>Arisaema triphyllum</i>) K	9.00
Jacob's Ladder (<i>Polemonium reptans</i>) K	5.00
Jasmine, Carolina (<i>Gelsemium sempervirens</i>) S/US	15.00
Jewelweed, Yellow (<i>Impatiens pallida</i>) K	4.50
Joe-Pye-Weed (<i>Eupatorium fistulosum</i>) K	5.00
Joe-Pye-Weed, Purple / Sweet (<i>Eupatorium purpureum</i>) K	5.00
Joe-Pye-Weed, Spotted (<i>Eupatorium maculatum</i>) K	5.00
Joe-Pye-Weed, Three-nerved (<i>Eupatorium dubium</i>) E/US	5.00
Joe-Pye-Weed, White (<i>Eupatorium rugosum</i>) K	4.50
Jujube, Chinese (<i>Zizphus spinosa</i>) M/H	8.00
Juniper, Old Field (<i>Juniperus communis</i> var. <i>depressa</i>) E/US	12.00
Kentucky Coffee Tree (<i>Gymnocladus dioica</i>) K	15.00
King of the meadow (<i>Thalicturm polygamamum</i> [<i>pubescens</i>]) K	7.00
Ladies' Tresses (<i>Spiranthes odorata</i>) K	15.00
Lady's-slipper, Kentucky (<i>Cypripedium kentuckiense</i>) K	15.00
Lady's-slipper, Large yellow (<i>Cypripedium pubescens</i>) K	15.00
Lady's-slipper, Large-flowered Yellow (<i>Cypripedium parviflorum</i>) K	15.00
Lady's-slipper, Showy (<i>Cypripedium reginae</i>) K	20.00
Lady's-slipper, Showy White (<i>Cypripedium reginae</i> <i>albolabium</i>) SW/US	20.00
Larkspur (<i>Delphinium tricornne</i>) K	9.00
Larkspur, Prairie (<i>Delphinium virescens</i>) K	7.00
Larkspur, Tall (<i>Delphinium exaltatum</i>) K	9.00
Larkspur, Wild Blue (<i>Delphinium carolinianum</i>) K	9.00

Laurel, Bog (<i>Kalmia polifolia</i>) E/US	15.00
Laurel, Great (<i>Rhododendron maximum</i>) K	12.00
Laurel, Mountain (<i>Kalmia latifolia</i>) K	15.00
Laurel, Sheep (<i>Kalmia angustifolia</i>) E/US	15.00
Lavender, English - Munstead (<i>Lavendula angustifolia</i>-Munstead) M/H	5.00
Lavender, Fragrant Butterfly (<i>Lavandula stoechas penunculata</i>) M/H	5.00
Lavender, Lady (<i>Lavendula angustifolia</i>) M/H	5.00
Lavender, Purple Ribbon (<i>Lavendula stoechas</i>) M/H	4.00
Lavender, Spanish Eyes (<i>Lavendula multifida</i>) M/H	4.00
Leadplant (<i>Amorpha canescens</i>) MW/US	10.00
Leatherfeaf (<i>Chamaedaphne calyculata</i>) E/US	15.00
Leatherwood Tree (<i>Dirca palustris</i>) K	20.00
Leichtlin's Camas (<i>Camassia leichtlinii v. suksdorfii</i>) W/US	7.00
Lemongrass, Indian (<i>Cymbopogon flexuosus</i>) M/H	5.00
Leontopodium alpinum	5.00
Leucothoe, Redtwig Mountain (<i>Leucothoe recurva</i>) K	12.00
Leucothoe, Swamp (<i>Leucothoe racemosa</i>) E/US	12.00
Licorice, Official (<i>Glycyrrhiza glabra</i>) M/H	6.00
Life-of-Man (<i>Aralia racemosa</i>) K	12.00
Lily, Bluebead (<i>Clintonia umbellulata</i>) K	15.00
Lily, Canada (<i>Lilium canadense</i>) K	17.00
Lily, Leopard (<i>Belamcanda chinensis</i>) M/H	6.00
Lily, Michigan (<i>Lilium michiganense</i>) K	17.00
Lily, Prairie (<i>Lilium philadelphicum</i>) K	10.00
Lily, Spider (<i>Hymenocallis caroliniana</i>) K	12.00
Lily, Turk's-Cap (<i>Lilium superbum</i>) K	12.00
Lily, White Water (<i>Nymphaea odorata</i>) K	15.00
Lily, Yellow Water (<i>Nuphar lutea</i>) K	15.00
Lily-of-the-Valley (<i>Convallaria montana</i>) K	9.00
Lion's Foot (<i>Prenanthes alba</i>) K	9.00
Little Brown Jug (<i>Hexastylis arifolium</i>) K	12.00
Lizard Tail (<i>Saururus cernuus</i>) K	6.00
Lobelia, Great Blue (<i>Lobelia siphilitica</i>) K	5.00
Lobelia, Red / Cardinal Flower (<i>Lobelia cardinalis</i>) K	5.00
Lobelia, Spiked (<i>Lobelia spicata</i>) K	6.00
Lobelia, White (<i>Lobelia siphiliica</i> Var. <i>alba</i>) K	5.00
Locust, Honey (<i>Gleditsia triacanthos</i>)	12.00
Locust, Thornless Honey (<i>Gleditsia triacanthos</i> var <i>inermis</i>) K	15.00
Loosestrife, Lanceleaf (<i>Lysimachia lanceolata</i>) K	5.00
Loosestrife, Winged (<i>Lythrum alatum</i>) K	6.00
Lopseed (<i>Phryma leptostachya</i>) K	6.00
Lovage (<i>Levisticum officinale</i>) M/H	6.00
Love in the Mist (<i>Nigella damascena</i>) M/H	3.00
Lupine (<i>Lupinus perennis</i>) K	7.00
Lupine, Carolina (<i>Thermopsis caroliniana</i>) [<i>villosa</i>] K	5.00
Ma Huang (<i>Ephedra sinica</i>) M/H	9.00
Magnolia, Cucumber (<i>Magnolia acuminata</i>) K	17.00
Magnolia, Large Leaf (<i>Magnolia macrophylla</i>) K	17.00
Magnolia, Southern (<i>Magnolia grandiflora</i>) S/US	17.00
Magnolia, Sweetbay (<i>Magnolia virginiana</i>) E/US	17.00

Magnolia, Umbrella Leaf (<i>Magnolia tripetala</i>) K	17.00
Maleberry (<i>Lyonia ligustrina</i>) K	20.00
Mandarin, Yellow (<i>Disporium lanuginosum</i>) K	12.00
Maple, Black (<i>Acer nigrum</i>) K	15.00
Maple, Drummond Red (<i>Acer drummondii</i>) K	15.00
Maple, Flame Amur (<i>Acer ginnala</i>) E/US	17.00
Maple, Mountain (<i>Acer spicatum</i>) K	15.00
Maple, Red (<i>Acer rubrum</i>) K	15.00
Maple, Silver (<i>Acer saccharinum</i>) K	10.00
Maple, Striped (<i>Acer pensylvanicum</i>) K	15.00
Maple, Sugar (<i>Acer saccharum</i>) K	15.00
Maralroot (<i>Leuzea carthamoides 'Lujza'</i>) M/H	12.00
Marbleseed (<i>Onosmodium molle</i>) K	9.00
Marigold, Red Gem (<i>Tagetes tenuifolia</i>) M/H	4.50
Marigold, Summer Splash (<i>Tagetes patula x erecta</i>) A	3.00
Marjoram, Oregano (<i>Origanum majorana</i>) M/H	4.00
Marsh Marigold (<i>Caltha palustris</i>) K	5.00
Marshmallow (<i>Althaea officinalis</i>) M/H	4.00
May Apple (<i>Podophyllum peltatum</i>) K	12.00
Meadow Beauty (<i>Rhexia virginiana</i>) K	6.00
Meadow Beauty, Pale (<i>Rhexia interior</i>) K	7.00
Meadow Rue, Early (<i>Thalictrum dioicum</i>) K	7.00
Meadow Rue, Purple (<i>Thalictrum dasycarpum</i>) K	5.00
Meadowsweet (<i>Spirea ulmaria / Filpendula ulmaria</i>) M/H	5.00
Meadowsweet, White (<i>Spirea ulmeria alba</i>) M/H	6.00
Meehania, Creeping Mint (<i>Meehania cordata</i>) K	7.00
Merrybells, Little (<i>Uvularia sessilifolia</i>) K	9.00
Mignonette (<i>Reseda odorata</i>) M/H	5.00
Milk-vetch, Canadian (<i>Astragalus canadensis</i>) K	5.00
Milk-vetch, Tennessee (<i>Astragalus tenesensis</i>) SE/US	6.00
Milkweed, Butterfly (<i>Asclepias tuberosa</i>) K	6.00
Milkweed, Climbing (<i>Mikania scandens</i>) K	10.00
Milkweed, Common (<i>Asclepias syriaca</i>) K	5.00
Milkweed, Green (<i>Asclepias viridis</i>) K	12.00
Milkweed, Marsh (<i>Asclepias incarnata</i>) K	5.00
Milkweed, Poke (<i>Asclepias exaltata</i>) K	12.00
Milkweed, Prairie (<i>Asclepias sullivantii</i>) K	12.00
Milkweed, Purple (<i>Asclepias purpurascens</i>) K	7.00
Milkweed, Sand (<i>Asclepias amplexicaulis</i>) K	12.00
Milkweed, Showy (<i>Asclepias speciosa</i>) E/US	9.00
Milkweed, Tall Green (<i>Asclepias hirtella</i>) K	12.00
Milkweed, White Marsh (<i>Asclepias incarnata</i> "Ice Ballet")	6.00
Milkweed, Whorled (<i>Asclepias verticillata</i>) K	6.00
Minibush (<i>Menzesia pilosa</i>) E/US	20.00
Mint, Basil Mountain, (<i>Pycnanthemum clinopodiodes</i>) E/US	6.00
Mint, Hairy Mountain (<i>Pycnanthemum pilosum</i>) K	5.00
Mint, Hairy Wood (<i>Blephilia hirsuta</i>) (Wood Mint, Hairy) K	6.00
Mint, Short Tooth Mountain (<i>Pycnanthemum muticum</i>) K	5.00
Mint, Slender Mountain (<i>Pycnanthemum tenuifolium</i>) K	5.00
Mint, Torrey's Mountain (<i>Pycnanthemom torrei</i>) K	7.00

Mint, Virginia Mountain (<i>Pycnanthemum virginianum</i>) K	5.00
Mint, Wood (<i>Blephilia ciliata</i>) K	6.00
Mistflower (<i>Eupatorium coelestinum</i>) K	5.00
Mock-Orange, Appalachian (<i>Philadelphus inodorus</i>) K	17.00
Moleplant (<i>Euphorbia lathyri</i>) M/H	6.00
Monkey Flower (<i>Mimulus alatus</i>) K	5.00
Monkey Flower, Seep (<i>Mimulus guttatus</i>) E/US	6.00
Monkey-Face Orchid (<i>Plantanthera integrilabia</i>) K	15.00
Monkshood / Aconite (<i>Aconitum napellus</i>) M/H	6.00
Monkshood Vine, Southern (<i>Aconitum uncinatum</i>) K	15.00
Moonseed Vine (<i>Menispermum canadense</i>) K	12.00
Motherwort, Official (<i>Leonurus cardiaca</i>) M/H	4.00
Mountain Lover (<i>Paxistima canbyi</i>) K	15.00
Mulberry, Black (<i>Morus nigra</i>) K	15.00
Mulberry, Red (<i>Morus rubra</i>) K	15.00
Nasturtium Empress Of India (<i>Tropaeolum majus</i>) A	3.00
Nasturtium, Copper Sunset Mounding (<i>Tropaeolum majus</i>) A	3.00
Nasturtium, Creamsicle (<i>Tropaeolum majus</i>) A	3.00
Nettle, Stinging (<i>Urtica dioica</i>) K	4.00
Nine Bark (<i>Physocarpus opulifolius</i>) K	15.00
Oak, Basket (<i>Quercus michauxii</i>) K	20.00
Oak, Bear (<i>Quercus ilicifolia</i>) K	20.00
Oak, Black (<i>Quercus velutina</i>) K	15.00
Oak, Blackjack (<i>Quercus marilandica</i>) K	15.00
Oak, Bur (<i>Quercus macrocarpa</i>) K	15.00
Oak, Cherry Bark (<i>Quercus falcata pagodaefolia</i>) K	15.00
Oak, Chestnut (<i>Quercus prinus</i>) K	15.00
Oak, Chinkapin (<i>Quercus muehlenbergii</i>) K	15.00
Oak, Live (<i>Quercus virginiana</i>) SE/US	15.00
Oak, Northern Pin (<i>Quercus ellipsoidalis</i>) N/US	15.00
Oak, Northern Red (<i>Quercus borealis</i>) K	15.00
Oak, Nuttall (<i>Quercus nuttallii</i>) K	15.00
Oak, Overcup (<i>Quercus lyrata</i>) K	15.00
Oak, Pin (<i>Quercus palustris</i>) K	15.00
Oak, Post (<i>Quercus stellata</i>) K	15.00
Oak, Red (<i>Quercus rubra</i>) K	15.00
Oak, Scarlet (<i>Quercus coccinea</i>) K	15.00
Oak, Shingle (<i>Quercus imbricaria</i>) K	15.00
Oak, Shumard (<i>Quercus shumardii</i>) K	15.00
Oak, Spanish (<i>Quercus falcata</i>) K	15.00
Oak, Swamp Chestnut (<i>Quercus prinoides</i>) E/US	15.00
Oak, Swamp White (<i>Quercus bicolor</i>) K	15.00
Oak, White (<i>Quercus alba</i>) K	15.00
Oak, Willow (<i>Quercus phellos</i>) K	15.00
Obedient Plant (<i>Physostegia virginiana</i>) K	5.00
Onion, Nodding Pink (<i>Allium stellatum</i>) MW/US	6.00
Onion, Nodding Wild (<i>Allium cernuum</i>) K	5.00
Oregano, Greek (<i>Origanum heracleoticum</i>) M/H	4.00
Oregano, Wild (<i>Origanum vulgare</i>) M/H	4.00
Oregano, Zaatar (<i>Origanum syriacum</i>) M/H	3.00

Osage Orange (<i>Maclura pomifera</i>) S/US	12.00
Pachysandra, Allegheny Spurge (<i>Pachysandra procumbens</i>) K	9.00
Pan-Pacific Greens, Stirfry Mix A	1.00
Parsley, Chinese (<i>Coriandrum sativum</i>) M/H	5.00
Parsley, Curly (<i>Petroselinum crispum - crispum</i>) M/H	3.00
Parsley, Italian Flat (<i>Petroselinum crispum neaplitanum</i>) M/H	3.00
Partridge Berry (<i>Mitchella repens</i>) K	12.00
Partridge Pea (<i>Cassia fasciculata</i>) K	25.00
Partridge-pea (<i>Chamaecrista fasciculata</i>) [Cassia] K	5.00
Pasque Flower (<i>Anemone patens wolfgangiana</i>) MW/US	6.00
Pasque Flower (<i>Anemone pulsatilla</i>) M/H	6.00
Passion-flower, Maypop (<i>Passiflora incarnata</i>) K	12.00
Passion-flower, Yellow (<i>Passiflora lutea</i>) K	20.00
Paw Paw (<i>Asimina triloba</i>) K	15.00
Pea, Scurfy (<i>Psoralea tenuiflora</i>) K	7.00
Pearly Everlasting (<i>Anaphalis margaritacea</i>) K	6.00
Pearly Everlasting, Red (<i>Antennaria dioica 'Rubra'</i>) M/US	6.00
Pecan (<i>Carya illinoensis</i>) K	17.00
Pennyroyal (<i>Mentha pulegium</i>) M/H	6.00
Persimmon (<i>Diospyros virginiana</i>) K	15.00
Petroselinum crispum (Sweet Curly Parsley) M/H	1.00
Petunia, Carolina (<i>Ruellia caroliniensis</i>) K	5.00
Petunia, Wild (<i>Ruellia humilis</i>) K	5.00
Phacelia (<i>Phacelia bipinnatifida</i>) K	6.00
Phlox, Blue Creeping (<i>Phlox stolonifera 'Blue Ridge'</i>) K	6.00
Phlox, Carolina (<i>Phlox carolinia 'Miss Lingard'</i>) E/US	6.00
Phlox, Carolina (<i>Phlox carolinia</i> Var. <i>angusta</i>) E/US	6.00
Phlox, Chattahoochee (<i>Phlox x 'Chatahoochee'</i>) E/US	6.00
Phlox, Creeping (<i>Phlox stolonifera</i>) K	6.00
Phlox, Creeping / Moss (<i>Phlox subulata</i>) K	6.00
Phlox, Downy (<i>Phlox pilosa</i>) K	6.00
Phlox, Drummondii (Mountain Pink) A	4.50
Phlox, Garden (<i>Phlox paniculata</i>) K	5.00
Phlox, Marsh (<i>Phlox glaberrima interior</i>) K	7.00
Phlox, Meadow (<i>Phlox maculata</i>) K	6.00
Phlox, Pale Wild Blue (<i>Phlox divaricata 'May breeze'</i>) E/US	6.00
Phlox, Purple Creeping (<i>Phlox stolonifera 'Sherwood Purple'</i>) K	6.00
Phlox, Sand (<i>Phlox bifida</i>) K	4.50
Phlox, Smooth (<i>Phlox amoena</i>) K	4.50
Phlox, Three-flowered (<i>Phlox glaberrima</i>) K	6.00
Phlox, Wild Blue (<i>Phlox divaricata</i>) K	6.00
Phlox, Wild Blue Purple (<i>Phlox divaricata 'Parksville Beach'</i>) K	6.00
Phlox, Wild Sweet William (<i>Phlox divaricata, 'London Grove Blue'</i>) E/US	6.00
Pimpernel, Yellow (<i>Taenedia integerrima</i>) K	7.00
Pine, Eastern White (<i>Pinus strobus</i>) K	12.00
Pine, Loblolly (<i>Pinus taeda</i>) K	15.00
Pine, Pitch (<i>Pinus rigida</i>) K	15.00
Pine, Virginia (<i>Pinus virginiana</i>) K	17.00
Pink, Compact Wild (<i>Silene caroliniana ssp. wherryi</i>) E/US	7.00
Pink, Fire (<i>Silene virginica</i>) K	6.00

Pink, Indian (<i>Spigelia marilandica</i>) K	9.00
Pink, Meadow (<i>Sabatia angularis</i>) K	6.00
Pink, Pennsylvania Wild (<i>Silene caroliniana</i> ssp. <i>pennsylvanica</i>) E/US	7.00
Pink, Swamp (<i>Helonias bullata</i>) E/US	10.00
Pink, Sweet (<i>Dianthus x hybrida</i> 'Rainbow Loveliness') A	3.00
Pink, Wild (<i>Silene caroliniana</i>) K	5.00
Plantain, Great Indian (<i>Cacalia muhlenbergii</i>) K	7.00
Plantain, Robin's (<i>Erigeron pulchellus</i>) K	7.00
Plum, American (<i>Prunus americana</i>) K	12.00
Plum, Chickasaw (<i>Prunus angustifolia</i>) K	15.00
Poppies, Legion of Honor (<i>Papaver rhoeas</i>) A	3.00
Poppy Mallow (<i>Callirhoe papaver</i>) MW/US	7.00
Poppy Mallow, Bush's (<i>Callirhoe bushii</i>) MW/US	7.00
Poppy Mallow, Clustered (<i>Callirhoe triangulata</i>) MW/US	12.00
Poppy Mallow, Purple (<i>Callirhoe involucrata</i>) MW/US	7.00
Poppy, California (<i>Eshscholzia californica</i>) M/H	3.00
Poppy, Hungarian (<i>Papavar somniferum h</i>) M/H	3.00
Poppy, Hungarian Breadseed (<i>Papaver spp.</i>) A	3.00
Poppy, Pepperbox Breadseed (<i>Papaver spp.</i>) A	3.00
Poppy, Zahir (<i>Papavar somniferum z</i>) M/H	3.00
Porcelainberry, Heart-leaf (<i>Ampelopsis cordata</i>) K	10.00
Powdery Thalia (<i>Thalia dealbata</i>) SE/US	15.00
Prairie Dock (<i>Silphium terebinthinaceum</i>) K	6.00
Prairie Smoke (<i>Geum triflorum</i>) N	6.00
Prickly-Pear (<i>Opuntia humifusa</i>) K	15.00
Primrose, Evening (<i>Oenothera biennis</i>) K	4.50
Primrose, Large-flowering Evening (<i>Oenothera grandiflora</i>) K	5.00
Primrose, Missouri (<i>Oenothera missouriensis</i>) MW/US	6.00
Primrose, Showy (<i>Oenothera speciosa</i>) K	6.00
Primrose, stemless / sessile (<i>Oenothera triloba</i>) K	12.00
Princess Pine (<i>Lycopodium obscurum</i>) K	20.00
Pumpkin, Cinderella's Carriage A	1.00
Purple Rocket (<i>Iodanthus pinnatifidus</i>) K	6.00
Pussytoes (<i>Antennaria plantaginifolia</i>) K	6.00
Pussytoes, Single-headed (<i>Antennaria solitaria</i>) K	6.00
Putty Root (<i>Aplectrum hyemale</i>) K	15.00
Pyrethrum (<i>Chrysanthemum coccineum</i>) M/H	4.00
Pyrethrum, Painted Daisy (<i>Tanacetum coccineum</i>) M/H	6.00
Queen of the Prairie (<i>Filipendula rubra</i>) N/US	7.00
Quinine, Wild (<i>Parthenium integrifolium</i>) K	5.00
Ragwort, Golden (<i>Senecio aureus</i>) K	5.00
Ragwort, Prairie (<i>Senecio plattensis</i>) K	7.00
Raspberry, Black (<i>Rubus occidentalis</i>) K	12.00
Raspberry, Northern Red (<i>Rubus idaeus canadensis</i>) NE/US	12.00
Rattlebox (<i>Crotalaria sagittalis</i>) K	5.00
Rattlesnake Master (<i>Eryngium yuccifolium</i>) K	6.00
Rattlesnake Plantain (<i>Goodyera pubescens</i>) K	17.00
Rattlesnake Plantain, Dwarf (<i>Goodyera repens</i>) K	17.00
Rattlesnake Root (<i>Prenanthes racemosa</i>) E/US	7.00
Redbud (<i>Cercis canadensis</i>) K	10.00

Reed, Broadfruit Bur (<i>Sparganium eurycarpum</i>) K	7.00
Rock Cress (<i>Arabis hirsuta</i>) non-native	5.00
Rose Mallow (<i>Hibiscus moscheutos</i>) K	6.00
Rose Mallow, Scarlet (<i>Hibiscus coccineus</i>) SE/US	6.00
Rose Mallow, Smooth (<i>Hibiscus laevis</i> [<i>militaris</i>]) K	6.00
Rose Mallow, Swamp (<i>Hibiscus palustris</i>) E/US	6.00
Rose Mallow, Woolly Swamp (<i>Hibiscus lasiocarpus</i>) K	6.00
Rose Verbena (<i>Verbena canadensis</i>) K	5.00
Rose, Carolina (<i>Rosa carolina</i>) K	15.00
Rose, Dog (<i>Rosa canina</i>) M/H	10.00
Rose, Meadow (<i>Rosa blanda</i>) K	15.00
Rose, Prairie (<i>Rosa setigera</i>) K	15.00
Rose, Seet Briar (<i>Rosa rubiginosa</i>) M/H	10.00
Rose, Swamp (<i>Rosa palustris</i>) K	15.00
Rose, Virginia (<i>Rosa virginiana</i>) K	15.00
Rose, Wild Prairie (<i>Rosa arkansana</i>) Cen/US	12.00
Rose, Wood's (<i>Rosa woodsii</i>) W/US	15.00
Rosemary (<i>Rosmarinus officinalis</i>) M/H	6.00
Rosemary, Bog (<i>Andromeda glaucophylla</i>) NE/US	12.00
Rosinweed (<i>Silphium integrifolium</i>) K	6.00
Rosinweed, Cut-leaf (<i>Silphium pinnatifidum</i>) K	7.00
Rosinweed, Whorled (<i>Silphium trifoliatum</i>) K	6.00
Royal Catchfly (<i>Silene regia</i>) K	6.00
Rue, Carolina Tassel (<i>Trautvetteria caroliniensis</i>) K	8.00
Running Ground Pine (<i>Lycopodium clavatum</i>) K	20.00
Rupturewort (<i>Herniaria glabra</i>) M/H	6.00
Rush, Black (<i>Juncus gerardii</i>) K	6.00
Rush, Common (<i>Juncus effusus</i>) K	5.00
Rush, Corkscrew (<i>Juncus effusus</i> '<i>spiralis</i>') K	7.00
Rush, Creeping Spike (<i>Eleocharis erythropoda</i>) K	6.00
Rush, Curly Wurly, Corkscrew Rush (<i>Juncus effusus</i>) K	7.00
Rush, Dwarf Scouring (<i>Equisetum scirpodes</i>) N/US	7.00
Rush, Giant Spiral (<i>Juncus effusus</i> '<i>Unicorn</i>') K	7.00
Rush, Needle Spike (<i>Eleocharis acicularis</i>) K	5.00
Rush, Pickerel (<i>Pontederia cordata</i>) K	6.00
Rush, Scouring (<i>Equisetum hyemale</i>) K	4.50
Rush, Slender Path (<i>Juncus tenuis</i>) K	6.00
Sage, Blue (<i>Salvia azurea</i>) K	6.00
Sage, Clary (<i>Salvia sclarea</i>) M/H	4.00
Sage, Garden (<i>Salvia officinalis</i>) M/H	5.00
Sage, Lyre leafed (<i>Salvia lyrata</i> var. <i>purpurea</i>) '<i>Purple Knockout</i>' K	5.00
Sage, Lyre-leaf (<i>Salvia lyrata</i>) K	6.00
Sage, Meadow (<i>Salvia pratensis</i>) M/H	6.00
Sage, Pineapple (<i>Salvia elegans</i>) M/H	5.00
Sage, Scarlet (<i>Salvia coccinea</i>) M/H	4.00
Sage, White (<i>Salvia apiana</i>) M/H	5.00
Saint John's-wort (<i>Hypericum densiflorum</i>) K	10.00
Saint John's-wort, Dotted (<i>Hypericum virginicum</i>) K	7.00
Saint John's-wort, Golden (<i>Hypericum frondosum</i>) K	15.00
Saint John's-wort, Great (<i>Hypericum pyramidatum</i>) E/US	10.00

Saint John's-wort, Kalm (<i>Hypericum kalmianum</i>) MW/US	10.00
Saint John's-wort, Round-fruited (<i>Hypericum sphaerocarpum</i>) K	12.00
Saint John's-wort, Shrubby (<i>Hypericum prolificum</i>) K	10.00
Saint John's-wort, Spotted (<i>Hypericum punctatum</i>) K	7.00
Saltwort (<i>salsola komarovii</i>) M/H	5.00
Sassafras (<i>Sassafras albidum</i>) K	15.00
Saxifrage, Early (<i>Saxifraga virginiensis</i>) K	12.00
Saxifrage, Swamp (<i>Saxifraga pensylvanica</i>) K	12.00
Scurvygrass (<i>Cochlraria officinalis</i>) M/H	5.00
Sea Lavender (<i>Limonium latifolium</i>) M/H	7.00
Seabuckthorn (<i>Hippophae rhamnoides</i>) M/H	10.00
Seaholly (<i>Eryngium campestr</i>) M/H	10.00
Sedge, Appalachian (<i>Carex appalachian</i>) K	6.00
Sedge, Barberpole (<i>Scirpus microcarpus</i>) K	7.00
Sedge, Blue Satin (<i>Carex platyphylla</i>) K	6.00
Sedge, Blue Wood (<i>Carex flaccosperma</i>) K	6.00
Sedge, Broad-leaved Woolly (<i>Carex pellita</i>) K	10.00
Sedge, Curley-styled Wood (<i>Carex rosea</i>) K	7.00
Sedge, Dwarf Varigated 'Oehme' (<i>Carex muskingumensis</i> 'Oehme') C/US	6.00
Sedge, Emoryi (<i>Carex emoryi</i>) K	6.00
Sedge, Fox (<i>Carex vulpinoidea</i>) K	5.00
Sedge, Frank's (<i>Carex frankii</i>) K	5.00
Sedge, Gray (<i>Carex amphibola</i>) K	6.00
Sedge, Gray's (<i>Carex grayi</i>) K	5.00
Sedge, Hairy Green (<i>Carex hirsutella</i>) K	7.00
Sedge, Long-awned Bracted (<i>Carex gravida</i>) K	7.00
Sedge, Lurid (<i>Carex lurida</i>) K	5.00
Sedge, Miniature Palm (<i>Carex muskingumensis</i> 'Little Midge') C/US	6.00
Sedge, Palm (<i>Carex muskingumensis</i>) K	6.00
Sedge, Pennsylvania (<i>Carex pensylvanica</i>) K	6.00
Sedge, Seersucker (<i>Carex plantaginea</i>) K	6.00
Sedge, Tussock (<i>Carex stricta</i>) K	6.00
Sedum, Allegheny Spurge (<i>Sedum telephioides</i>) K	6.00
Sedum, Nevii Stonecrop (<i>Sedum nevii</i>) SE/US	6.00
Sedum, Three-leaved (<i>Sedum ternatum</i>) K	6.00
Sedum, Widow's Cross (<i>Sedum pulchellum</i>) K	6.00
Seedbox (<i>Ludwigia alternifolia</i>) K	5.00
Senna, Wild (<i>Cassia hebecarpa</i>) K	7.00
Senna, Wild (<i>Cassia marilandica</i>) K	7.00
Sensitive Briar, Littleleaf (<i>Schrankia microphylla</i>) K	5.00
Serviceberry, Allegheny (<i>Amelanchier laevis</i>) K	15.00
Serviceberry, Apple (<i>Amelanchier x grandiflora</i>) E/US	15.00
Serviceberry, Downy (<i>Amelanchier arborea</i>) K	15.00
Serviceberry, Running (<i>Amelanchier stolonifera</i>) EUS	12.00
Serviceberry, Shadblow (<i>Amelanchier canadensis</i>) K	15.00
Shooting Star (<i>Dodecatheon meadia</i>) K	9.00
Shooting Star, Dark Throated (<i>Dodecatheon pulchellum</i>) W/US	10.00
Shooting Star, Purple (<i>Dodecatheon amethystinum</i>) C/US	15.00
Shortia galacifolia (Oconee Bells) SE/US	10.00
Sideoats Grama (<i>Bouteloua curtipendula</i>) K	5.00

Silene armenia (Sweet William catchfly)	6.00
Silverbell, Carolina (Halesia carolina) K	15.00
Silverbell, Mountain (Halesia monticola) E/US	20.00
Skullcap, Baical (Scutellaria baicalensis) M/H	4.00
Skullcap, Barbat (Scutellaria barbata) M/H	4.00
Skullcap, Heart-leaved (Scutellaria ovata) K	6.00
Skullcap, Hyssop (Scutellaria incana) K	5.00
Skullcap, Official (Scutellaria lateriflora) K	6.00
Smartweed, Pennsylvania (Polygonum pensylvanicum) K	5.00
Smoketree, American (Cotinus obovatus) K	15.00
Snailseed Vine (Cocculus carolinus) K	12.00
Sneezeweed (Helenium autumnale) K	5.00
Sneezeweed, Purple-headed (Helenium nudiflorum) K	5.00
Snow Wreath (Neviusia alabamensis) SE/US	20.00
Snowbell, Fragrant (Styrax americanus) K	30.00
Snowbell, Frangrant (Styrax obassia) Japan	25.00
Snowberry (Symphoricarpus albus) K	10.00
Snowberry, Creeping (Gaultheria hispidula) NE/US	15.00
Solomon's Seal (Polygonatum biflorum) K	12.00
Solomon's Seal, False (Smilicina racemosa) K	12.00
Sourwood (Oxydendrum arboreum) K	20.00
Spearmint (Mentha spicata) M/H	6.00
Spearmint, Improved (Mentha spicata 'Kentucky Colonel') M/H	6.00
Species Collection, Aster K	38.00
Species Collection, Blazing Stars	26.00
Species Collection, Goldenrods	38.00
Species Collection, Milkweed	26.00
Species Collection, Phlox	26.00
Species Collection, Sunflowers	26.00
Spicebush (Lindera benzoin) K	15.00
Spiderwort, Dwarf (Tradescantia longipe) W/US	9.00
Spiderwort, Dwarf Blue (Tradescantia longipes 'Blue') M/US	9.00
Spiderwort, Dwarf Pink (Tradescantia longipes 'Pink') M/US	9.00
Spiderwort, Ohio (Tradescantia ohiensis) K	5.00
Spiderwort, Prairie (Tradescantia bracteata) K	6.00
Spiderwort, Virginia (Tradescantia virginiana) K	5.00
Spikenard, Devil's Club (Aralia spinosa) K	15.00
Spring Beauty (Claytonia virginica) K	9.00
Spring Beauty, Carolina (Claytonia caroliniana) K	12.00
Spruce, White (Picea glauca) N/US	12.00
Squirrel Corn (Dicentra canadensis) K	9.00
Staggerbush (Lyonia mariana) E/US	12.00
Star Flower (Smilacina stellata) E/US	12.00
Star Grass, Yellow (Hypoxis hirsuta) K	12.00
Starry Champion (Silene stellata) K	6.00
Steeplebush (Spirea tomentosa) K	12.00
Steeplebush, White (Spiraea alba) K	12.00
Stevia (Stevia rebaudiana) M/H	6.00
Stewartia (Stewartia ovata) K	30.00
Stock (Mattiola incana) A	3.00

Stonecrop, Ditch (<i>Penthorum sedoides</i>) K	5.00
Stoneroot (<i>Collinsonia canadensis</i>) K	6.00
Strawberry Bush (<i>Euonymus americanus</i>) K	12.00
Strawberry Bush, Running (<i>Euonymus obovatus</i>) K	15.00
Strawberry, Wild (<i>Fragaria virginiana</i>) K	6.00
Sugarberry (<i>Celtis laevigata</i>) K	10.00
Sumac, Flameleaf (<i>Rhus copallina</i>) K	12.00
Sumac, Fragrant (<i>Rhus aromatica</i>) K	10.00
Sumac, Smooth (<i>Rhus glabra</i>) K	10.00
Sumac, Staghorn (<i>Rhus typhina</i>) K	10.00
Summersweet (<i>Clethra alnifolia</i>) K	12.00
Summersweet, Mountain / Mountain Pepperbush (<i>Clethra acuminata</i>) K	12.00
Sundrops (<i>Oenothera fruticosa</i>) K	6.00
Sunflower, Cinnamon Sun (<i>Helianthus annuus</i>) A	3.00
Sunflower, Downy (<i>Helianthus mollis</i>) K	5.00
Sunflower, Eggert's (<i>Helianthus eggerii</i>) K	9.00
Sunflower, Maximillon (<i>Helianthus maximiliani</i>) K	6.00
Sunflower, Narrow-leaved (<i>Helianthus angustifolius</i>) K	7.00
Sunflower, Ox-eye (<i>Heliopsis helianthoides</i>) K	5.00
Sunflower, Saw-toothed (<i>Helianthus grosseserratus</i>) MW/US	5.00
Sunflower, Showy (<i>Helianthus laetiflorus</i>) E/US	6.00
Sunflower, Tall / Swamp (<i>Helianthus giganteus</i>) K	9.00
Sunflower, Thin-leaved (<i>Helianthus decapetalus</i>) K	6.00
Sunflower, Tiny Headed (<i>Helianthus microcephalus</i>) K	6.00
Sunflower, Van Gogh (<i>Helianthus annuus</i>) A	3.00
Sunflower, Western (<i>Helianthus occidentalis</i>) K	5.00
Sunflower, Woodland (<i>Helianthus divaricatus</i>) K	7.00
Susan, Black-eyed (<i>Rudbeckia hirta</i>) K	5.00
Susan, Brown-eyed (<i>Rudbeckia triloba</i>) K	5.00
Susan, Sweet / Sweet Coneflower (<i>Rudbeckia subtomentosa</i>) K	5.00
Swamp Candles (<i>Lysimachia terrestris</i>) K	7.00
Sweet Cicely (<i>Myrrhis odorata</i>) M/H	6.00
Sweet Cicely (<i>Osmorhiza claytonii</i>) K	6.00
Sweet Gale (<i>Myrica gale</i>) N/US	17.00
Sweet grass (<i>Hierochlow odorata</i>) E/US	6.00
Sweet Pea, Painted Lady (<i>Lathyrus odoratus</i>) A	3.00
Sweet Peas, Zinfandel (<i>Lathyrus odotatus</i>) A	3.00
Sweet Shrub (<i>Calycanthus fertilis</i>) K	15.00
Sweetfern Sage (<i>Comptonia peregrina</i>) K	12.00
Sweetgum (<i>Liquidambar styraciflua</i>) K	20.00
Sycamore (<i>Platanus occidentalis</i>) K	17.00
Tamarack / American Larch (<i>Larix laricina</i>) N/US	15.00
Tarragon, French (<i>Artemisia dracunculus sativa</i>) M/H	4.00
Tea, Inland (<i>Ceanothus ovatus</i>) NE	12.00
Tea, Labrador (<i>Ledum groenlandicum</i>) E/US	12.00
Tea, New Jersey (<i>Ceanothus americanus</i>) K	12.00
Thimbleberry (<i>Rubus parviflorus</i>) MW/US	15.00
Thimbleberry, Purple-bloom (<i>Rubus odoratus</i>) K	15.00
Thimbleflower (<i>Anemone virginiana</i>) K	5.00
Thoroughwort, Hyssop-leaved, (<i>Eupatorium hyssopifolium</i>) K	5.00

Thyme, Coconut (Thymus sp-coc) M/H	4.00
Thyme, Creeping (Thymus serphyllum) M/H	4.00
Thyme, English (Thymus vulgaris) M/H	4.00
Thyme, Lavender (Thymus thracicus) M/H	4.00
Thyme, Orange Spice (Thymus TM95) M/H	4.00
Thyme, Wooley (Thymus pseudolanuginosus) M/H	4.00
Tick Trefoil, Cluster-leaf (Desmodium glutinosum) K	7.00
Tick Trefoil, Hairy Bracted (Desmodium cuspidatum longifolium) K	7.00
Tick Trefoil, Showy (Desmodium canadense) K	6.00
Tithonia, Torch (Tithonia rotundifolia) A	3.00
Tobacco, Midewiwan Sacred (Nicotiana rustica) M/H	6.00
Tomato: Amish Gold	4.00
Tomato: Arkansas marvel	4.00
Tomato: Aunt Ginny's Purple	4.00
Tomato: Aunt Lucy's Italian Paste	4.00
Tomato: Beefsteak	4.00
Tomato: Big Beef	4.00
Tomato: Black Cherry	4.00
Tomato: Black Crimson	4.00
Tomato: Black Prince	4.00
Tomato: Black Sea Man	4.00
Tomato: Bloody Butcher	4.00
Tomato: Blue Fruit	4.00
Tomato: Box Car Willie	4.00
Tomato: Brandywine, Red	4.00
Tomato: Cherokee Purple	4.00
Tomato: Evergreen	4.00
Tomato: Flamme	4.00
Tomato: Garden Peach	4.00
Tomato: Ghost Cherry	4.00
Tomato: Gigantesque	4.00
Tomato: Gold Medal	4.00
Tomato: Grandfather Ashlock	4.00
Tomato: Granny Cantrell's German Pink	4.00
Tomato: Homer Fike's Yellow Oxheart	4.00
Tomato: Japanese Black Trifele	4.00
Tomato: Kentucky Beefsteak	4.00
Tomato: Marianna's Peace	4.00
Tomato: Matt's Wild Cherry	4.00
Tomato: Mortgage Lifter, Radiator Charlie's	4.00
Tomato: Mortgage Lifter, Bi-Color	4.00
Tomato: Piccolo	4.00
Tomato: Rutgers Improved	4.00
Tomato: Silvery Fir Tree	4.00
Tomato: Super Snow White	4.00
Tomato: Tigerella	4.00
Tomato: Tim's Black Ruffles	4.00
Tomato: Yellow Ruffled	4.00
Toothache Plant (Spilanthes acmella) M/H	6.00
Toothwort, Five-parted (Dentaria laciniata) K	10.00

Tormentil (<i>Potentilla tormentilla</i>) M/H	4.00
Touch-me-not, Spotted (<i>Impatiens capensis</i>) K	4.50
Trillium, Yellow form of trillium erectum (<i>Trillium erectum luteum</i>) K	15.00
Trillium, Dwarf White (<i>Trillium Pusillum</i>) K	15.00
Trillium, Large Flowering White (<i>Trillium grandiflorum</i>) K	15.00
Trillium, Large Yellow (<i>Trillium luteum</i>) K	15.00
Trillium, Nodding / Bent (<i>Trillium flexipes</i>) K	15.00
Trillium, Prairie (<i>Trillium recurvatum</i>) K	15.00
Trillium, Red (<i>Trillium erectum</i>) K	15.00
Trillium, Red Toadshade (<i>Trillium sessile</i>) K	15.00
Trillium, Toad Shade (<i>Trillium cuneatum</i>) K	15.00
Trout Lily, Yellow (<i>Erythronium americanum</i>) K	9.00
Trout Lily/Dogtooth Violet, White (<i>Erythronium albidum</i>) K	12.00
Trumpet Creeper (<i>Campsis radicans</i>) K	10.00
Tuliptree (<i>Liriodendron tulipifera</i>) K	15.00
Tupelo, Black (<i>Nyssa sylvatica</i>) K	15.00
Turtlehead, Pink (<i>Chelone obliqua</i>) K	6.00
Turtlehead, Purple (<i>Chelone lyonii</i> 'Hot Lips') E/US	7.00
Turtlehead, White (<i>Chelone glabra</i>) K	6.00
Twinleaf (<i>Jeffersonia diphylla</i>) K	15.00
Twisted Stalk (<i>Streptopus roses</i>) K	15.00
Umbrella Leaf (<i>Diphylleia cymosa</i>) SE/US	10.00
Unicorn Root (<i>Aletris farinosa</i>) K	12.00
Valerian, Official (<i>Valeriana officinalis</i>) M/H	4.00
Verbena, Lemon (<i>Aloysia triphylla</i>) M/H	6.00
Vervain, Blue (<i>Verbena hastata</i>) K	5.00
Vervain, Hoary (<i>Verbena stricta</i>) K	5.00
Viburnum, American Cranberry (<i>Viburnum trilobum</i>) EUS	15.00
Viburnum, Arrow-wood (compact) (<i>Viburnum dentatum</i>) K	15.00
Viburnum, Arrow-wood (<i>Viburnum dentatum</i>) K	15.00
Viburnum, Black-haw (<i>Viburnum prunifolium</i>) K	15.00
Viburnum, Downy Arrow-Wood (<i>Viburnum dentatum pubescens</i>) E/US	15.00
Viburnum, Hobblebush (<i>Viburnum lantanoides [alnifolium]</i>) K	10.00
Viburnum, Kentucky (<i>Viburnum molle</i>) K	20.00
Viburnum, Mapleleaf (<i>Viburnum acerifolium</i>) K	15.00
Viburnum, Nannyberry (<i>Viburnum lentago</i>) K	15.00
Viburnum, Possum-haw (<i>Viburnum nudum</i>) K	15.00
Viburnum, Southern Black-haw (<i>Viburnum rufidulum</i>) K	15.00
Viburnum, Winterthur Possum-haw (<i>Viburnum Nudum</i> 'Winterthur')	15.00
Viburnum, Withrod / Northern Wild Raisin (<i>Viburnum cassinoides</i>) K	15.00
Violet, Bird's Foot (<i>Viola pedata</i>) K	9.00
Violet, Blue (<i>Viola papilionacea</i>) K	5.00
Violet, Britton's (<i>Viola brittoniana</i>) NE/US	6.00
Violet, Canada (<i>Viola canadensis</i>) K	6.00
Violet, Crowfoot / Prairie (<i>Viola pedatifida</i>) MW/US	9.00
Violet, Glade (<i>Viola egglestonii</i>) K	7.00
Violet, Green (<i>Hybanthus concolor</i>) K	6.00
Violet, Labrador (<i>Viola labradorica</i>) NE/US	6.00
Violet, Long-Spurred (<i>Viola Rostrata</i>) K	7.00
Violet, Prairie (<i>Viola nuttallii</i>) C/US	6.00

Violet, Striped (<i>Viola striata</i>) K	6.00
Violet, Sweet (<i>Viola odorata</i>) M/H	6.00
Violet, White (<i>Viola blanda</i>) K	6.00
Violet, Yellow (<i>Viola pubescens</i>) K	5.00
Virginia Bluebells (<i>Mertensia virginica</i>) K	12.00
Virginia Creeper (<i>Parthenocissus quinquefolia</i>) K	12.00
Virginia Sweetspire (<i>Itea virginica</i>) K	12.00
Virginia Willow, Little Henry (<i>Itea virginica</i> 'Sprich') E/US	12.00
Visnaga (<i>Ammi visnaga</i>) M/H	6.00
Wafer-ash (<i>Ptelea trifoliata</i>) K	15.00
Wahoo (<i>Euonymus atropurpureus</i>) K	15.00
Wallflower, Scented Gold (<i>Erysimum perovskianum</i>) A	3.00
Walnut, Black (<i>Juglans nigra</i>) K	12.00
Walnut, White / Butternut (<i>Juglans cinerea</i>) K	15.00
Water Avens (<i>Geum rivale</i>) E&W/US	10.00
Water Plantain (<i>Alisma subcordatum</i>) K	6.00
Water Plantain Large-flowered (<i>Alisma triviale</i>) E/US	7.00
Watercress (<i>Nasturtium officinale</i>) M/H	6.00
Waterleaf, Great (<i>Hydrophyllum appendiculatum</i>) K	7.00
Waterleaf, Virginia (<i>Hydrophyllum virginianum</i>) K	9.00
Whitlow Grass (<i>Draba verna</i>) K	7.00
Willow, Black (<i>Salix nigra</i>) K	10.00
Willow, Coyote (<i>Salix humilis</i>) K	10.00
Willow, Heart Leaf (<i>Salix rigida</i>) MW/US	10.00
Willow, Prairie (<i>Salix Humilus Microphyllus</i>) K	10.00
Willow, Pussy (<i>Salix discolor</i>) K	12.00
Willow, Shining (<i>Salix lucida</i>) K	10.00
Willow, Silky (<i>Salix sericea</i>) K	10.00
Winecups (<i>Callirhoe digitata</i>) MW/US	6.00
Wingstem, Ozark (<i>Verbesina helianthoides</i>) K	7.00
Wingstem, White (<i>Verbesina virginica</i>) K	5.00
Wingstem, Yellow (<i>Verbersina occidentalis</i>) K	5.00
Wintergreen (<i>Gaultheria procumbens</i>) K	9.00
Wintergreen, Spotted (<i>Chimaphila maculata</i>) K	12.00
Wisteria, Kentucky (<i>Wisteria macrostachya</i>) K	17.00
Witch Hazel, Common (<i>Hamamelis virginiana</i>) K	15.00
Witch Hazel, Vernal (<i>Hamamelis vernalis</i>) EUS	15.00
Wolfberry (<i>Symphoricarpos occidentalis</i>) E/US	10.00
Wood Betony / Loosewort (<i>Pedicularis canadensis</i>) K	7.00
Wood Sorrel, Violet (<i>Oxalis vioacea</i>) K	12.00
Wormwood (<i>Artemisia absinthium</i>) M/H	6.00
Wormwood, Mugwort (<i>Artemisia vulgaris</i>) M/H	4.00
Yam, Wild (<i>Dioscorea villosa</i>) K	9.00
Yarrow (<i>Achillea millefolium</i>) M/H	4.00
Yellow-root (<i>Xanthorhiza simplicissima</i>) K	12.00
Yellow-wood (<i>Cladrastis lutea</i>) K	15.00
Yew, Canadian (<i>Taxus canadensis</i>) K	10.00
Zinnia, Berry Basket Mix (<i>Zinnia elegans</i>) A	3.00
Zinnia, Cool Crayon Mix Cutting (<i>Zinnia elegans</i>) A	3.00
Zinnias, Blue Point (<i>Zinnia elegans</i>) A	3.00